



Contribution ID: 7

Type: **Contributed Talk**

Two- and Three-Particle Complexes with Logarithmic Interaction: Compact Wave Functions for Two-Dimensional Excitons and Trions

Tuesday, 1 August 2023 16:55 (15 minutes)

In the framework of the effective mass approximation and assuming a logarithmic interaction between constituent charged particles, compact and locally accurate wave functions that describe bound states of the two-particle neutral and three-particle charged complexes in two dimensions are designed. Prime examples of these complexes are excitons and trions that appear in monolayers of Transition-Metal Dichalcogenides (TMDCs). In the case of excitons, these wave functions led to 5-6 correct decimal digits in the energy and the diamagnetic shifts. In addition, it is demonstrated that they can be used as zero-order approximations to study magnetoexcitons via perturbation theory in powers of the magnetic field strength. For the trion, making a comparison with experimental data for concrete TMDCs, we established that the logarithmic potential leads to binding energies $\leq 25\%$ greater than experimental ones. Finally, the structure of the wave function at small distances is established for excitons whose carriers interact via the Rytova-Keldysh potential.

This talk will be based on the forthcoming paper [arXiv:2302.11928](https://arxiv.org/abs/2302.11928)

Primary author: DEL VALLE, Juan (University of Gdansk)

Presenter: DEL VALLE, Juan (University of Gdansk)

Session Classification: Tuesday Parallel Session: AMO Systems (Linke Aula)