

Contribution ID: 55

Type: Contributed Talk

Structure of resonance states in three-alpha systems

Monday, 31 July 2023 17:25 (15 minutes)

In many phenomena of atomic nuclei, the α -particle (the ⁴He nucleus) can be considered as effective degrees of freedom. In this contribution, recent works on structures of low-energy excited (resonance) states in ¹²C nucleus in terms of 3α model will be presented.

Continuum 3α wave functions for angular momentum and parity states: 0^+ , 1^- , 2^+ , and 3^- , are obtained with phenomenological 2α - and 3α potentials by using Faddeev technique. These resonance states turn to be effective in explaining such reactions of ${}^{12}C(\alpha, \alpha')3\alpha$. The wave functions in resonance states have some concentrations in amplitude near the origin, from which one can evaluate 3α configurations. These structures are, in general, mixtures of equilateral triangle and isosceles triangle (or bent-arm configuration) with various sizes. From the comparison of these structures, possible excitation mechanisms of 3α states, such as breathingmode excitation and rotational excitation, are studied.

Primary author: ISHIKAWA, Souichi (Hosei University)

Presenter: ISHIKAWA, Souichi (Hosei University)

Session Classification: Monday Parallel Session: Few-Nucleon Systems (AudiMax)